

Form - IV
(See rule 13)
ANNUAL REPORT

[To be submitted to the prescribed authority on or before 30th June every year for the period from January to December of the preceding year, by the occupier of health care facility (HCF) or common bio-medical waste treatment facility (CBWTF)]

Sl. No.	Particulars	
1.	Particulars of the Occupier	Jaipur Doorbeen Hospital
	(i) Name of the authorised person (occupier or operator of facility)	Dr. Sushila Saini
	(ii) Name of HCF or CBMWTF	Instrumedix
	(iii) Address for Correspondence	10, Joshi Baugh, Sayyadka Gatta Tonk, Phatale, Tonk Rd. JPR-1
	(iv) Address of Facility	B) Devi Nagar, New Sanganer Rd., JF
	(v) Tel. No, Fax. No	0141-2293066-77
	(vi) E-mail ID	Jdbhospital@gmail.com
	(vii) URL of Website	www.jaipurdoorbeenhospital.com
	(viii) GPS coordinates of HCF or CBMWTF	NA
	(ix) Ownership of HCF or CBMWTF	<input checked="" type="checkbox"/> State Government or Private or Semi Govt. or any other
2.	(x). Status of Authorisation under the Bio-Medical Waste (Management and Handling) Rules	Authorisation No.: 1916(1) [2016-2017] / 2520-2521 22-2-2017 valid up to 21-3-2021
	(xi). Status of Consents under Water Act and Air Act	Valid up to: 31-10-2021
	Type of Health Care Facility	No. of Beds: 50
3.	(i) Bedded Hospital	
	(ii) Non-bedded hospital	
	(Clinic or Blood Bank or Clinical Laboratory or Research Institute or Veterinary Hospital or any other)	NA
	(iii) License number and its date of expiry	NA
3.	Details of CBMWTF	
	(i) Number healthcare facilities covered by CBMWTF	NA
	(ii) No of beds covered by CBMWTF	50
(iii) Installed treatment and disposal capacity of CBMWTF:	Kg per day NA	

2
5/8/19

	(iv) Quantity of biomedical waste treated or disposed by CBMWTF		Kg/day			NA
4.	Quantity of waste generated or disposed in Kg per annum (on monthly average basis)		Yellow Category : 90 Kg			
			Red Category : 45 Kg			
			White: 15 Kg			
			Blue Category : 60 Kg			
			General Solid waste: —			
5	Details of the Storage, treatment, transportation, processing and Disposal Facility					
	(i) Details of the on-site storage facility	Size				
		Capacity :				
		Provision of on-site storage : (cold storage or any other provision)				
	(ii) Details of the treatment or disposal facilities	Type of treatment equipment	No of units	Capacity Kg/day	Quantity treated or disposed in kg per annum	
		Incinerators				
		Plasma Pyrolysis				
		Autoclaves				
		Microwave				
		Hydroclave				
		Shredder				
		Needle tip cutter or destroyers				
		Stumps				
		encapsulation or concrete pit				
		Deep burial pits:				
		Chemical disinfection:				
		Any other treatment equipment:				
	(iii) Quantity of recyclable wastes sold to authorized recyclers after treatment in kg per annum.		Red Category (like plastic, glass etc.)			
	(iv) No of vehicles used for collection and transportation of biomedical waste					
	(v) Details of incineration ash and ETP sludge generated and disposed		Quantity generated	Where disposed		

	during the treatment of wastes in Kg per annum	Incineration Ash ETP Sludge
	(vi) Name of the Common Bio-Medical Waste Treatment Facility Operator through which wastes are disposed of	Instrumedix
	(vii) List of member HCF not handed over bio-medical waste.	
6	Do you have bio-medical waste management committee? If yes, attach minutes of the meetings held during the reporting period	Yes (we do have infection control committee where these points related to BMW are discussed)
7	Details trainings conducted on BMW	
	(i) Number of trainings conducted on BMW Management.	36
	(ii) number of personnel trained	13
	(iii) number of personnel trained at the time of induction	4
	(iv) number of personnel not undergone any training so far	NA
	(v) whether standard manual for training is available?	Yes
	(vi) any other information	-
8	Details of the accident occurred during the year	NIL
	(i) Number of Accidents occurred	NIL
	(ii) Number of the persons affected	NIL
	(iii) Remedial Action taken (Please attach details if any)	NIL
	(iv) Any Fatality occurred, details.	NIL
9	Are you meeting the standards of air Pollution from the incinerator? How many times in last year could not met the standards?	NA
	Details of Continuous online emission monitoring systems installed	NA
10	Liquid waste generated and treatment methods in place. How many times you have not met the standards in a year?	NA
11	Is the disinfection method or sterilization meeting the log 4	

	standards? How many times you have not met the standards in a year?	YES
12	Any other relevant information	(Air Pollution Control Devices attached with the Incinerator) NA

Certified that the above report is for the period from 1-1-2018 to 31-12-2018



Name and Signature of the Head of the Institution

(DR. SUSHIKA SAINI)

Date: 2nd Aug - 2019
Place: Jaipur